

2. AMENDMENT/MODIFICATION NO. P00085	3. EFFECTIVE DATE SEE BLOCK 16C.	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. (If applicable)
---	-------------------------------------	----------------------------------	--------------------------------

6. ISSUED BY CODE	N00039	7. ADMINISTERED BY (If other than Item 6) CODE
----------------------	--------	--

SPACE AND NAVAL WARFARE SYSTEMS COMMAND
 CONTRACTING OFFICER: 02-N DEBRA L. STREUFERT
 2231 CRYSTAL DRIVE, SUITE 400
 ARLINGTON, VA 22212-3721
 PHONE: 703.685.5508

8. NAME AND ADDRESS OF CONTRACTOR (No., street, country, State and ZIP Code)	(✓)	9A. AMENDMENT OF SOLICITATION NO.
ELECTRONIC DATA SYSTEMS CORPORATION 13600 EDS DRIVE HERNDON, VA 20171 ATTN: NMCI CONTRACTS		9B. DATED (SEE ITEM 11)
	X	10A. MODIFICATION OF CONTRACT/ORDER NO. N00024-00-D-6000
		10B. DATED (SEE ITEM 11) 06 October 2000
CODE 1U305	FACILITY CODE	

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS
 The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:
 (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)
 NOT APPLICABLE

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

(✓)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
X	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: FAR CLAUSE 52.212-4 (CHANGES)
	D. OTHER (Specify type of modification and authority)



E. IMPORTANT: Contractor is not, is required to sign this document and return See Note Below copies to the issuing office..

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

Note: The Contractor may return a signed copy via facsimile or as a scanned image in portable document format (pdf).

-SEE HEREIN-

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print) THOMAS GOETZ, CONTRACTS MANAGER	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) ALBERT L DAVIS, CDR, SC, USN
15B. CONTRACTOR/OFFEROR  <small>(Signature of person authorized to sign)</small>	15C. DATE SIGNED 29 OCT 03
16B. UNITED STATES OF AMERICA BY  <small>(Signature of Contracting Officer)</small>	16C. DATE SIGNED 30 OCT 03

The purpose of this modification is to revise Attachment 12, Optional User Capabilities (Commercial off the Shelf (COTS) Catalog), Exhibits A through D to reflect the following changes:

- Note 4 (Exhibit A – Workstation Additional Services) at the end of the first sentence, add “(provided SLA 36C is referenced)”
- CLIN 1001 delete “(1 DIMM)” from the “Model or Part #” column and insert “Note: provide SDR or DDR SDRAM as appropriate to data seat” under the “Service Description” column.
- CLIN 1002 delete “Internal Zip 250” from the “Model or Part #” column, replace “No” with “Yes” under the “Can Be Used With a Classified Seat?” column, delete “May not be used in combination with a removable hard drive” from the “Service Description”, replace “Part Number: 340-7874” with “Model Number: Zip 250 with cable” under the “Model or Part #” column, and under the “Can Be Used With” column insert “GX270” under the references for CLIN 0001AA & AB and CLIN 0001AC.
- CLIN 1003 delete “CLIN 0002AA & CLIN 0004AC (Dell Latitude C600, C610, & C640) CLIN 0002AB (Dell Latitude C400) CLIN 2000 (Dell Latitude C510)” and insert “GX270” under the references for CLIN 0001AA & AB and CLIN 0001AC under the “Can Be Used With” column. Additionally, replace “24x” with “32x” and add “May not be used in combination with a removable hard drive” under the “Service Description” column. Lastly, replace “Yes” with “No” under the “Can Be Used With a Classified Seat?” column and replace “24” with “32” under the “Model or Part #” column.
- CLIN 1004 insert “GX270” under the “Can Be Used With” column under the references for CLIN 0001AA & AB and CLIN 0001AC.
- CLIN 1005 add “adjustable arm” to the “Service Description” column and under the “Can Be Used With” column insert “GX270” under the references for CLIN 0001AA & AB and CLIN 0001AC.
- CLIN 1006 change from “1702FP” to “1703 FP” and add “adjustable arm” and “and 4USB 2.0 ports” to the “Service Description” column, change from “1702 FP” to “1703 FP” in the “Model or Part #” column and under the “Can Be Used With” column insert “GX270” under the references for CLIN 0001AA & AB and CLIN 0001AC.
- CLIN 1007 insert “GX270” under the “Can Be Used With” column under the references for CLIN 0001AA & AB and CLIN 0001AC.
- CLIN 1008 insert “GX270” under the “Can Be Used With” column under the references for CLIN 0001AA & AB and CLIN 0001AC.
- CLIN 1009 change from “1702FP” to “1703 FP” and add “adjustable arm” and “and 4USB 2.0 ports” to the “Service Description” column, and change from “1702 FP” to “1703 FP” in the “Model or Part #” column and insert “GX270” under the “Can Be Used With” column under the references for CLIN 0001AA & AB and CLIN 0001AC.
- CLIN 1010 insert “GX270” under the “Can Be Used With” column under the references for CLIN 0001AA & AB and CLIN 0001AC.
- CLIN 1013 add “not in conjunction with CLIN 0007” to the “Can Be Used With” column. Additionally, insert “Note: 80 GB hard drive provided as appropriate to data seat including GX270” under the “Service Description” column.
- CLIN 1015 insert “GX270” under the “Can Be Used With” column under the references for CLIN 0001AA & AB and CLIN 0001AC. Additionally, replace “24” with “32” under the “Service Description” and “Model or Part #” columns.
- CLIN 1016 delete “(1 DIMM)” from the “Model or Part #” column. Additionally, insert “Note: (1) for GX270, upgrade memory to 512 MB DDR SDRAM, (2) provide SDR or DDR SDRAM as appropriate to data seat” under the “Service Description” column.
- CLIN 1017 add “with CRU carrier” at the end of the first sentence under the “Service Description” column.
- CLIN 1018 replace “20 GB Hard Drive (additional device) for workstation seats that have” with “40 GB Hard Drive (additional device) with either a CRU or StorCase carrier as appropriate for the data seat that already has” in the “Service Description” column. Also, under the “Can Be Used With”, delete “GX 110, GX 100” and insert “GX270” under the references for CLIN 0001AA & AB and CLIN 0001AC. Change from “20 GB” to “40 GB” in the “Model or Part #” column, and change from “30-Jun-03” to “Yes” in the “Availability” column. Additionally, insert “GX270” under the “Can Be Used With” column under the references for CLIN 0001AA & AB and CLIN 0001AC.
- Note 4 (Exhibit B – Portable Additional Services) at the end of the first sentence, add “(provided SLA 36C is referenced)”

- CLIN 2000 insert "Note: provide Dell Latitude D500 as appropriate" under the "Service Description" column
- CLIN 2001 delete "(1 DIMM)" from the "Model or Part #" column. Additionally, insert "Note: (1) for D500, upgrade memory to 256 MB DDR SDRAM, (2) provide SDR or DDR SDRAM as appropriate to data seat" under the "Service Description" column
- CLIN 2002 change from "312-0027" to "312-0522" in the "Model or Part #" column. Additionally, insert "Note: for D500 and D600, provide extra 6-cell battery as appropriate to data seat" under the "Service Description" column
- CLIN 2003 insert "Note: for D-Series, provide Dell D/Port and D/Monitor Stand as appropriate to data seat" under the "Service Description" column
- CLIN 2004 insert "Note: for D-Series, provide Dell D/Dock and D/Monitor Stand as appropriate to data seat" under the "Service Description" column
- CLIN 2005 change from "Harmon Kardon 206" to "Altec Lansing ADA-215" in the "Service Description" column and change from "313-0957" to "313-7409" in the "Model or Part #" column. Additionally, under the "Can Be Used With" insert (a) "D600" under the reference for CLIN 0002AA & CLIN 0004AC, (b) "D400" under CLIN 0002AB, and (c) "D500" under CLIN 2000.
- CLIN 2007 change from "40x read" to "24x read" in the "Service Description" column and change from "24X/10X/40X" to "24X/10X/24X" in the "Model or Part #" column. Additionally, insert "Note: for D-series, provide Dell 24x/10x/24x CD-RW as appropriate to data seat" under the "Service Description" column
- CLIN 2009 through 2011, under the "Can Be Used With" insert (a) "D600" under the reference for CLIN 0002AA & CLIN 0004AC, and (b) "D400" under CLIN 0002AB.
- CLIN 2010 change from "1702FP" to "1703 FP" and add "adjustable arm" and "and 4USB 2.0 ports" to the "Service Description" column, and change from "1702 FP" to "1703 FP" in the "Model or Part #" column
- CLIN 2012 insert "Note: for D-series, Dell 8x DVD/CD-ROM as appropriate to data seat" under the "Service Description" column
- CLIN 2013 insert "Note: for D-series, provide primary EIDE 40GB hard drive as appropriate to data seat" under the "Service Description" column
- CLIN 2014 delete "(1 DIMM)" from the "Model or Part #" column. Additionally, insert "Note: (1) for D400 and D600, upgrade memory to 512 MB DDR SDRAM, (2) provide SDR or DDR SDRAM as appropriate to data seat" under the "Service Description" column
- CLIN 2015 insert "Note: for D-series, provide secondary removable 40GB drive as appropriate to data seat" under the "Service Description" column and change from "30-Jun-03" to "Yes" in the "Availability" column
- CLIN 2016 insert "Note: for D400 and D600, provide primary removable/replaceable 20GB hard drive as appropriate to data seat" under the "Service Description" column and change from "30-Jun-03" to "Yes" in the "Availability" column
- CLIN 2017 insert "Note: for D400 provide additional primary 6-cell battery as appropriate to data seat" under the "Service Description" column
- Note 4 (Exhibit C – Peripheral Additional Services) at the end of the first sentence, add "(provided SLA 36C is referenced)"
- CLIN 3001 under the "Can Be Used With" column insert (a) "GX270" under the references for CLIN 0001AA & AB and CLIN 0001AC, (b) "D600" under the reference for CLIN 0002AA & CLIN 0004AC, and (c) "D400" under CLIN 0002AB
- CLIN 3003 change from "Yes" to "No See CLIN 3044AA" in the "Availability" column
- CLIN 3004 add "See CLIN 3044AA" to the "Availability" column and delete the last sentence under the "Service Description" column
- CLIN 3005 change from "7-Jul-03" to "Yes" in the "Availability" column
- CLIN 3012 change from "Yes" to "No See CLIN 3018AA" in the "Availability" column
- CLIN 3016 add "C540" to the "Can Be Used With" column. Additionally, under the "Can Be Used With" column insert (a) "GX270" under the references for CLIN 0001AA & AB and CLIN 0001AC, (b) "D600" under the reference for CLIN 0002AA & CLIN 0004AC, and (c) "D400" under CLIN 0002AB
- CLIN 3018 delete ", Operating System – Windows 2000" under the "Service Description" column
- CLIN 3019 change from "30-Jun-03" to "No See CLIN 3018AA" in the "Availability" column and delete ", Operating System – Windows 2000" under the "Service Description" column
- CLIN 3020 delete ", Operating System – Windows 2000" under the "Service Description" column
- CLIN 3021 change from "30-Jun-03" to "Yes" in the "Availability" column

- CLIN 3026 change from "21-Jul-03" to "Yes" in the "Availability" column
- CLIN 3029 change from "30-Jun-03" to "Yes" in the "Availability" column
- CLIN 3031 add "See CLIN 3032" to the "Availability" column
- CLIN 3032 and CLIN 3035 change from "30-Jun-03" to "Yes" in the "Availability" column
- CLIN 3039 change from "30-Jun-03" to "Yes" in the "Availability" column
- CLIN 3040 delete "CLIN 0004AA" from the "Can Be Used With" column
- CLIN 4001 change from "Yes" to "On or about 31-Oct-03" in the "Availability" column
- CLIN 4003 change from "Yes" to "No See CLIN 4011" in the "Availability" column and delete "Full System" from the "Model or Part#" column
- CLIN 4004 change from "Yes" to "No See CLIN 4012" in the "Availability" column
- CLIN 4009 change from "Yes" to "No" in the "Availability" column
- CLIN 4010 change from "31-Jul-03" to "on or about 30-Nov-03" in the "Availability" column
- Add the following services to Exhibits C and D:
 - a. CLIN 3044AA, Lexmark Network B/W Printer (Exhibit C)
 - b. CLIN 4011AA, Autodesk AutoCAD 2004 (Exhibit D)
 - c. CLIN 4012AA, Autodesk AutoCAD LT 2004 (Exhibit D)

The parties understand and agree that the foregoing changes that incorporate references to the D-Series platform are included to provide the contractor with the ability to supply alternative technology solutions during the transition to the D-series platform until such time as the catalog is updated to reflect these items under their own specific and billable CLINs.

A CONFORMED COPY OF REVISED CONTRACT, INCLUSIVE OF THE ENCLOSED REVISION TO ATTACHMENT 12, OPTIONAL USER CAPABILITIES COTS CATALOG, IS MADE A PART OF THIS MODIFICATION AS A RESULT OF THE CHANGES OUTLINED HEREIN.

All other terms and conditions of Contract N00024-00-D-6000 remain unchanged, and in full force and effect